

## Floor Standing Rack 600/800/1000/1200 MM Width

AlphaMax Cabinets are feature-rich rack enclosures optimized for easy installation, managing cables, integrating power distribution, and maximizing airflow. These racks are multi-functional rack enclosures designed to meet current IT market trends and applications ranging from high density computing and networking to broadcast and audio-video sessions.



Available in 18RU to 42RU variants with 600/ 800/ 1000/ 1200 mm Depth configurations.

## Technical Specifications

Basic Frame	Steel folded
Construction	Welded or CKD (Folded)
Top & Bottom Cover	Bolted to Frame with Cable entry exit cut outs
Front Door	Lockable Toughened Glass Door OR Lockable Perforated Steel Door (Single / Split Dual Door)
Rear Door	Lockable Steel Door - Plain / Vented / Perforated (Single / Split Dual Door)
19" Mounting Angle	Formed Steel
Side Panel	Steel - Partially Vented
Std. Equipment Mounting	DIN Std. 10mm Sq. Slots
Standard Finish	Powder coated
Standard Colour	Grey & Off White OR Black
Standard Mounting	Caster wheels (2 with Brake & 2 without Brake) OR Levellers OR Plinth
Rack Standard	Conforms to DIN 41494 or equivalent standard

## Optional Accessories

Cantilever Shelf	Casters	Cable Managers	Plinth
Sliding Shelf	Levellers	Power Distribution Units	
Keyboard Shelf	Rack Ground Kit	Ganging Kit	
Fixed Shelf	Fan and Fan Modules	Cable Basket	

## Ordering Information

Model No.	Dimensions	OH	Uh	OW	uw	OD	ud
AM-AG6S18FM600	18U 600X600	880	18U	600	19"	600	500
AM-AG6S18FM800	18U 600X800	880	18U	600	19"	800	700
AM-AG6S18FM1000	18U 600X1000	880	18U	600	19"	1000	900
AM-AG6S22FM600	22U 600X600	1070	22U	600	19"	600	500
AM-AG6S22FM800	22U 600X800	1070	22U	600	19"	800	700
AM-AG6S22FM1000	22U 600X1000	1070	22U	600	19"	1000	900
AM-AG6S22FM1200	22U 600X1200	1070	22U	600	19"	1200	1100
AM-AG6S24FM600	24U 600X600	1160	24U	600	19"	600	500
AM-AG6S24FM800	24U 600X800	1160	24U	600	19"	800	700
AM-AG6S24FM1000	24U 600X1000	1160	24U	600	19"	1000	900
AM-AG6S24FM1200	24U 600X1200	1160	24U	600	19"	1200	1100
AM-AG6S27FM600	27U 600X600	1290	27U	600	19"	600	500
AM-AG6S27FM800	27U 600X800	1290	27U	600	19"	800	700
AM-AG6S27FM1000	27U 600X1000	1290	27U	600	19"	1000	900
AM-AG6S27FM1200	27U 600X1200	1290	27U	600	19"	1200	1100

AM-AG6S32FM600	32U 600X600	1512	32U	600	19"	600	500
AM-AG6S32FM800	32U 600X800	1512	32U	600	19"	800	700
AM-AG6S32FM1000	32U 600X1000	1512	32U	600	19"	1000	900
AM-AG6S32FM1200	32U 600X1200	1512	32U	600	19"	1200	1100
AM-AG6S36FM600	36U 600X600	1695	36U	600	19"	600	500
AM-AG6S36FM800	36U 600X800	1695	36U	600	19"	800	700
AM-AG6S36FM1000	36U 600X1000	1695	36U	600	19"	1000	900
AM-AG6S36FM1200	36U 600X1200	1695	36U	600	19"	1200	1100
AM-AG6S42FM600	42U 600X600	1950	42U	600	19"	600	500
AM-AG6S42FM800	42U 600X800	1950	42U	600	19"	800	700
AM-AG6S42FM1000	42U 600X1000	1950	42U	600	19"	1000	900
AM-AG6S42FM1200	42U 600X1200	1950	42U	600	19"	1200	1100

Dimensions are in MM

Customized Racks with special height, width and depth is available on requirement.

### Abbreviations

OH – Overall Height  
uh – Usable Height  
OW – Overall Width  
uw – Usable Width  
OD – Overall Depth  
ud – Usable Depth

### Note –

1. Customized Racks with special height, width and depth is available on requirement.
2. The product picture shown above is only for indicative purpose, the actual product picture may be different as per requirement.