

Wall Mount Racks

AlphaMax Cabinets are feature-rich rack enclosures optimized for easy installation, managing cables, integrating power distribution, and maximizing airflow. These racks are multi-functional rack enclosures designed to meet current IT market trends and applications ranging from high density computing and networking to broadcast and audio-video sessions.



Technical Specifications

Basic Frame	Steel folded
Construction	Welded/ Folded
Top & Bottom Cover	Bolted to Frame with Cable entry exit cut outs
Front Door	Lockable Toughened Glass Door
19" Mounting Angle	Formed Steel
Std. Equipment Mounting	DIN Std. 10mm Sq. Slots
Standard Finish	Powder coated
Standard Colour	Grey & Off White OR Black
Rack Standard	Conforms to DIN 41494 or equivalent standard

Optional Accessories

Cooling Fan
 Cantilever Shelf
 Cable Manager
 Power Distribution Units
 Rack Ground Kit

Ordering Information

Model No.	Dimensions	OH	oh	OW	uw	OD	ud
AM-AG-2UWM1	2U 350X350	140	2U	350	13"	350	310
AM-AG-2UWM2	2U-500x300	140	2U	500	19"	300	260
AM-AG-2UWM3	2U-550x350	170	2U	500	19"	350	310
AM-AG-4UWM4	4U 550X400	250	4U	550	19"	400	280
AM-AG-4UWM5	4U 550X500	250	4U	550	19"	500	380
AM-AG-4UWM6	4U 550X600	250	4U	550	19"	600	480
AM-AG-6UWM4	6U 550X400	340	6U	550	19"	400	280
AM-AG-6UWM5	6U 550X500	340	6U	550	19"	500	380
AM-AG-6UWM6	6U 550X600	340	6U	550	19"	600	480
AM-AG-9UWM4	9U 550X400	460	9U	550	19"	400	280
AM-AG-9UWM5	9U 550X500	460	9U	550	19"	500	380
AM-AG-9UWM6	9U 550X600	460	9U	550	19"	600	480
AM-AG-12UWM4	12U 550X400	600	12U	550	19"	400	280
AM-AG-12UWM5	12U 550X500	600	12U	550	19"	500	380
AM-AG-12UWM6	12U 550X600	600	12U	550	19"	600	480
AM-AG-15UWM4	15U 550X400	730	15U	550	19"	400	280
AM-AG-15UWM5	15U 550X500	730	15U	550	19"	500	380
AM-AG-15UWM6	15U 550X600	730	15U	550	19"	600	480

Abbreviations

OH – Overall Height
 uh – Usable Height
 OW – Overall Width
 uw – Usable Width
 OD – Overall Depth
 ud – Usable Depth

Note –

1. Available in 6RU to 15RU variants with 400/ 500/ 600 mm Depth configurations.
2. Customized Racks with special height, width and depth is available on requirement.
3. The product picture shown above is only for indicative purpose, the actual product picture may be different as per requirement.

